

A Comprehensive Study of Tomato and Potato Leaf Disease Identification

Araveti Sarvesh¹, Samay Mody², Vishnu. K³

^{1,2,3} dept.*dsbs*, SRM Institute of Science and Technology
Kanchipuram, Chennai, Tamil Nadu.

Abstract

Detection of leaf diseases on tomato and potato plants represents a crucial yet labor-intensive task in agricultural practices. This paper presents an innovative approach for efficient disease identification using computer vision and machine learning techniques. The proposed system exhibits the capability to accurately detect 20 different diseases affecting five common plant species, achieving a remarkable accuracy of 93%. Keywords encompass digital image processing, foreground detection, machine learning, and plant disease identification. India encounters substantial crop yield losses, amounting to 35% annually, due to plant diseases. The challenge of early disease detection persists due to the dearth of laboratory infrastructure and expert knowledge. In this study, we investigate the feasibility of computer vision methods for scalable and early plant disease identification. Notably, the scarcity of sufficiently large non-laboratory datasets hinders progress in vision-based plant disease detection. In response to this challenge, we introduce PlantDoc, a comprehensive dataset designed for visual plant disease detection. This dataset encompasses 2,598 data points across 13 plant species, featuring up to 17 distinct disease classes. Annotating internet-sourced images demanded around 300 human hours of effort. To demonstrate the effectiveness of our dataset, we trained three models for plant disease classification. Our findings reveal that utilizing our dataset can enhance classification accuracy by up to 31%. We believe that our dataset serves as a valuable resource to lower the barriers to entry for computer vision techniques in the field of plant disease detection.

Keywords: Deep Learning, Digital image processing, Foreground detection, Machine learning, Plant disease detection.

1. Introduction

Image processing, a specialized field within signal processing, empowers us to extract valuable image properties and information. Complementing this, machine learning, a subset of artificial intelligence, offers automated learning and instruction capabilities to perform specific tasks. The primary objective of machine learning is to comprehend training data and create models that are beneficial for decision-making and the accurate prediction of outcomes using extensive training data.

Our approach centers on the analysis of various features derived from leaf images, including leaf color, extent of damage, leaf area, and textural attributes, for the purpose of disease classification. This comprehensive analysis allows us to effectively identify diverse plant leaf diseases with the utmost accuracy.

Traditionally, plant disease detection relied on visual leaf inspection or involved complex chemical processes conducted by experts. This method necessitated large teams of experts and constant plant monitoring, which could be prohibitively expensive when applied to extensive farmlands. In this context, our proposed system offers a valuable solution for monitoring large plant fields. By automatically detecting diseases based on visible symptoms on plant leaves, our system simplifies and economizes the process. Furthermore, our approach stands out for its computational efficiency and reduced prediction time compared to other deep learning-based methods, as it leverages statistical machine learning and image processing algorithms.

2. RELATED WORK

India heavily relies on agriculture, with approximately 70% of its population engaged in this vital sector. However, the identification of plant diseases poses a significant challenge,

Plant diseases pose a significant threat to agricultural productivity, with the potential for substantial economic losses and decreased plant yields. Traditional methods of disease as manual inspection demands an enormous workforce with expertise in plant diseases and consumes substantial time. To address this challenge, we turn to the synergy of image processing and machine learning models for plant disease detection. In this project, we present a method for detecting plant diseases through the analysis of leaf images.

detection often rely on visual inspection by experts, a process that is both time-consuming and prone to inaccuracies. In response to these challenges, emerging technologies, such as deep neural networks and the Artificial Intelligence (A.I), offer novel opportunities for more precise and efficient plant disease detection, with a specific focus on the leaves of potato and tomato plants.

Traditional disease diagnosis methods for these plants, like expert visual assessment, can be resource-intensive, error prone, and may not always yield timely results. As a result, there is a growing need to explore innovative solutions that can enhance the accuracy and speed of disease identification in potato and tomato plants. The role of deep neural networks in plant disease detection is paramount. These networks are inspired by the structure and function of the human brain and are well-suited for the analysis of large datasets, making them a promising tool for identifying diseases in plants. The use of A.I technology complements this approach, as it allows for the collection of real-time data from various sources, including environmental sensors, cameras, and other devices placed in agricultural fields. This data can offer crucial insights into the health of potato and tomato plants and help detect diseases promptly.

A. Literature Study

In 2015, S. Khirade et Al. tackled the problem of plant disease detection using digital image processing techniques and back propagation neural network (BPNN) [1]. Authors have elaborated different techniques for the detection of plant disease using the images of leaves. They have implemented Otsu's thresholding followed by boundary detection and spot detection algorithm to segment the infected part in the leaf. After that they have extracted the features such as color, texture, morphology, edges etc. for classification of plant disease. BPNN is used for classification i.e. to detect the plant disease. Shiroop Madiwalar and Medha Wyawahare analyzed different image processing approaches for plant disease detection in their research [2]. Authors analyzed the color and texture features for the detection of plant

disease. They have experimented their algorithms on the dataset of 110 RGB images. The features extracted for classification were mean and standard deviation of RGB and YCbCr channels, gray level cooccurrence matrix (GLCM) features, the mean and standard deviation of the image convolved with Gabor filter. Support vector machine classifiers were used for classification. Authors concluded that GLCM features are effective to detect normalleaves. Whereas color features and Gabor filter features are considered as best for detecting anthracnose affected

leaves

and leaf spot respectively. They have achieved the highest accuracy of 73.34% using all the extracted features. Peyman Moghadam et Al. demonstrated the application of hyperspectral imaging in plant disease detection task [3]. visible and near-infrared (VNIR) and shortwave infrared (SWIR) spectrums were used in this research. Authors have used k-means clustering algorithm in spectral domain for the segmentation of leaf. They have proposed a novel grid removal algorithm to remove the grid from hyperspectral images. Authors have achieved the accuracy of 73% with vegetation indices in VNIR spectral range and 93% accuracy with full spectrum. Though the proposed method achieved higher accuracy, it requires the hyperspectral camera with 324 spectral bands so the solution becomes too costly.

Sharath D. M. et Al. developed the Bacterial Blight detection system for Pomegranate

plants by using features such as color, mean, homogeneity, SD, variance, correlation, entropy, edges etc. Authors have implemented grab cut segmentation for segmenting the region of interest in the image [4]. Canny edge detector was used to extract the edges from the images. Authors have successfully developed a system which can predict the infection level in the fruit. The work conducted by Kulkarni et al. for Plant Diseases and its Detection, presents the development of a system that exhibits the capability to detect a total of 20 distinct diseases in five prevalent plant species. The system demonstrates a noteworthy accuracy rate of 93%. Singh et al. (year) established the PlantDoc dataset, which serves as a great resource for doing research on the detection of plant diseases (Singh et al., year). The inclusion of PlantDoc in the field is a noteworthy contribution, since it offers a specialized data set that is designed to assist in the advancement of precise disease identification models for plants. The performance of

MobileNet was examined by the authors, who reported a mean Average Accuracy (mAP) of 22 while assessing its performance on the COCO dataset. This dataset encompasses a wider range of classes compared to others. It is important to acknowledge that the PlantDoc collection has photos that may provide difficulties in terms of classification, perhaps resulting in erroneous categorizations. This underscores the need of comprehensive assessment and the imperative for resilient disease detection algorithms in the field of plant pathology. The provision of the PlantDoc database is a significant asset, with the opportunity to propel advancements in both agricultural and environmental research and practical implementations. The work conducted by Wasswa Shafik et al. (2023) offers a comprehensive approach to data collecting and preprocessing within the domain of Plant Disease Detection (PDD), addressing the requirements of both academic and commercial sectors. The study brings attention to a notable constraint in the accessibility of publically available datasets in this particular field. This study emphasizes the need to establish a connection between controlled laboratory settings and the practical implementation of deep learning models for the purpose of detecting plant diseases in real-world scenarios. This work aims to elucidate key facets of PDD, offering valuable perspectives on data gathering, the constraints associated with publically accessible datasets, and the predominant influence of CNN-based systems for tackling plant diseases, with a specific focus on crops such as citrus.

The study conducted by Muhammad E. H. and colleagues investigates the Automatic and Reliable Leaf Diseases Detection Using Advanced Deep Learning Techniques. The authors examine many iterations of the U-net architecture in order to determine the most efficient segmentation model. This determination is accomplished by conducting a comprehensive comparison between the predictions made by the model and the ground truth segmented pictures. The findings derived from this study illustrate the enhanced efficacy of their model in comparison to recent deep learning methodologies. Significantly, this accomplishment is attained through the utilization of the widely available Plant Village information. The contributions of Muhammad E. H. and his coworkers have significantly advanced the field of identifying leaf diseases through the utilization of deep learning techniques. These techniques have been employed to improve the accuracy and reliability of plant disease identification.

3. METHODOLOGY

An "Artificial Intelligence" (AI) system for identifying plant diseases is a multi-step process involving various techniques and technologies. A critical component of this system is the utilization of sensors and cameras to capture images of plant leaves. These images are used to develop and evaluate deep learning models for disease detection. The initial step involves acquiring plant images through farm-installed cameras. These images undergo pre-processing, including noise reduction, data normalization, and feature normalization, to prepare them for analysis.

The next stage involves plant image analysis to segment the photos and identify areas of interest. Area-based segmentation, based on leaf color, is employed to distinguish healthy and diseased regions. Once the infected areas are accurately identified, the segmentation process continues, and the resulting images are used to train and test deep-learning models. These models employ techniques like convolutional networks, recurrent networks, and support vector machines to classify images as "healthy" or "diseased."

The integration of AI in plant disease detection offers numerous benefits for farmers. It enables accurate and timely identification of diseases, potentially leading to higher plant yields and quality. This approach also reduces the need for manual monitoring and visual inspection, saving time and labor. Moreover, it promotes more sustainable farming practices by reducing reliance on pesticides and chemicals, making agriculture more environmentally friendly.

Combining AI and deep learning for plant disease detection has the potential to revolutionize agriculture. By providing precise and efficient disease detection, farmers can take proactive measures to protect their plants and improve their overall yield and quality. This approach also encourages more sustainable and eco-friendly farming practices, benefiting both farmers and the broader community.

Pre-processing is applied to images sourced from the database and cameras. This involves tasks such as image scaling, enhancement, RGB to grayscale conversion after edge detection, as grayscale images provide the highest accuracy for defect identification. Various analytical approaches are then employed to categorize photos based on specific issues. Images with identified diseases are subsequently uploaded to the cloud using optimization techniques. While real-time pre-processing already exists, its integration into the embedded context is a key goal. This strategy aims to combine deep neural network modeling with modern image processing techniques, allowing for a certain level of automation in regular image capture. This, in turn, enables users to monitor environmental parameters without physically entering the field.

A neural network comprises interconnected artificial neurons with weighted connections, organized in layers based on predefined patterns. Each neuron receives input stimuli, analyzes it, and transmits outputs to other neurons through connected links. Networks primarily rely on learning to adapt to their contexts. Neural networks consist of several components, with the four primary ones being input, node-to-node connectivity, activation function, and learning function. The integration of these components enables a neural network to acquire knowledge effectively.

A. Dataset

For this experiment, Sharada P. Mohanty et al. PlantVillage's public dataset for plant leaf disease identification was employed [19]. The dataset comprises 87 000 RGB photos of healthy and diseased plants split into 38 groups of leaves. We have only chosen 7 classes to determine our method on. Table 1 displays these classes. The researchers decided to concentrate their investigation on 7 of these groups, which represented a variety of plant species and disease kinds. In their study, Table 1 gave a comprehensive analysis of these 7 classifications, detailing the number of pictures in each class and the particular illnesses or disorders they represented.

This dataset allowed the researchers to train and test their deep learning model on a sizable and varied collection of photos, guaranteeing that it could successfully recognize a variety of plant illnesses. They used a deep learning model called CNN, that is particularly effective at picture categorization tasks. Their research outlined an improved deep learning model over traditional machine learning techniques at diagnosing plant illnesses with high levels of accuracy. Their research represents a significant advancement in the use of technology for evaluation and management of plant illness by utilizing strength for deep learning and the sizable dataset provided by PlantVillage.

Characteristics of dataset include:-

- Sum of 87,000 RGB pictures of both healthy and sick plants are included in the dataset
- The photos are divided into 38 distinct leaf groupings that each depict a different plant species or type of illness.
- For their experiment, the researchers decided to concentrate on 7 of these groups, which were selected to symbolize a range of plant species and disease types.
- Researchers can test their model on both sorts of images since the dataset contains both color and grayscale photos.
- A number of sources, including both controlled situations and natural settings, were used to gather the photos in the collection
- The dataset provides a variety of viewpoints for the model to learn from, including photographs of both close-up views of individual leaves and larger views of entire plants.
- The photos in the collection are of different quality and resolution, imitating the actual environmental factors that may be present for diagnosing plant diseases

Fig. 1. Resnet-18 architecture diagram

B. Resnet-18

Fig. 2. CNN architecture diagram

ologies, including transfer learning and data augmentation. For instance, a work that was published in the Journal of Imaging improved ResNet-18 on a dataset of pictures of apple leaves with three distinct illnesses by using transfer learning. The researchers discovered that transfer learning considerably increased ResNet-18's classification accuracy, resulting in a test set accuracy of 98.2%.

C. CNN

Christian Szegedy et al. presented the deep neural network architecture known as Inception-v4 in 2016. It is a member of the convolutional neural network family Inception, which is renowned for its efficiency in image categorization tasks. With the addition of various new features, Inception-v4 was created to enhance the functionality of its predecessors, Inception-v1, Inception-v2, and Inception-v3. The utilization of the Inception module, a building component made up of several parallel convolutional layers with various filter sizes, is one of the main aspects of Inception-v4. For tasks like picture identification and classification, this enables the network to collect characteristics of various sizes and complexity.

The addition of user-friendly interfaces that can be customized to suit regional languages and speech-to-text capabilities is another noteworthy feature. This enables farmers to discuss information based on their locality in forums that may be added to the program. The significance of inclusion

The ResNet series of deep neural networks, which includes ResNet-18, was developed to solve the issue of disappearing gradients in extremely deep networks. The introduction of residual connections, which enables the network to learn residual functions that may be added to the input of each layer, is the main innovation in ResNet18. This makes it easier for gradients to be back propagated across the network, which helps to solve the vanishing gradient problem. Additionally, because of the residual connections, deeper networks can be trained without experiencing performance degradation, which frequently happens with conventional CNNs.

ResNet-18's efficacy in predicting agricultural diseases has also been enhanced by combining it with other method and accessibility in technological solutions for the agriculture sector is emphasized by this part of the project. To sum up, the project "Plant Disease Prediction Using Artificial and Deep Neural Networks" innovates by combining deep neural networks with A.I technologies to precisely and effectively identify plant illnesses.

By enabling early disease diagnosis, enhancing the sustain ability and efficiency of farming operations, and emphasizing accessibility and inclusivity for farmers, the system has the potential to completely transform the agricultural sector. This enables farmers to discuss information based on their locality in forums that may be added to the program. The significance of inclusion and accessibility in technological solutions for the agriculture sector is emphasized by this part of the project.

Fig. 3.

Loss v/s epochs graph

Fig. 5. Results

parameters and weights to better fit the training data. To find the optimal balance between accuracy and epochs, it is common practice to use a validation dataset. This dataset, separate from the training data, allows for the continuous monitoring of the DNN's accuracy as it is trained over multiple epochs. Ideally, the validation accuracy should also improve as epochs increase, but when it begins to decrease or stabilize, it signals that the model is overfitting.

In order to increase model accuracy, additional information may be gathered in addition to photos, such as weather data,

Fig. 4. Accuracy v/s Epochs

4. RESULT AND DISCUSSION

The amount and consistency of the practice data, the complex-ity of prototype architecture, or choice of hyperparameters can all affect how accurate a deep learning model is at classifying Plant diseases. The dataset must be properly chosen and

preprocessed, the model architecture must be adequate, and the model hyperparameters must be optimized using methods like cross-validation and grid search. In order to make sure that the model generalizes effectively to previously unexplored data, it is also critical to assess the model's performance on a validation dataset.

The term "epochs" refers to the number of complete passes that a machine learning model, such as a DNN, makes through the entire training dataset. The interplay between accuracy and epochs has a profound impact on the effectiveness of disease detection. During the training process, the DNN learns to recognize patterns and features within the dataset, enabling it to make accurate predictions about whether a leaf is healthy or afflicted by a disease. Typically, as the number of epochs increases, the DNN's accuracy on the training data also improves. This is because the network refines its internal soil quality data, and other environmental parameters. A.I gadgets like weather sensors, moisture sensors, and other environmental monitoring tools may be used to do this. In order to train precise and dependable models, data collection for plant disease prediction utilizing A.I and deep neural networks entails the capture, labeling, and integration of many forms of data. Data collection is a crucial stage in the 44 creation of efficient systems for the prediction of plant diseases since the quality and amount of the data gathered directly affects the performance of the models

A Comprehensive Study on Leaf Disease Prediction Using Artificial Intelligence and Deep Neural Networks is a significant step toward sustainable and efficient farming practices in India and beyond. It

harnesses the power of AI and deep learning to address the challenges of plant disease identification, offering a practical and effective solution that benefits farmers, the environment, and food security. This project has the potential to transform the agricultural sector and enhance the livelihoods of millions of farmers.

5. CONCLUSION AND FUTURE ENHANCEMENTS

A Comprehensive Study on Leaf Disease Prediction Using Artificial Intelligence and Deep Neural Networks represents a significant advancement in the field of agriculture, particularly in India, where agriculture plays a crucial role in the livelihoods of millions. This project addresses the challenges of plant disease identification, offering a practical and innovative solution that holds the potential to revolutionize farming practices. Here are the key takeaways from this project:

- 1 Innovative Solution: The project introduces an innovative solution that leverages Artificial Intelligence and deep neural networks for precise and early identification of plant diseases. It overcomes the limitations of manual inspection methods, which are labor-intensive, time consuming, and often less accurate.
- 2 Early Disease Detection: One of the primary benefits of this project is its capability for early disease detection. By using AI-based sensors and deep neural networks to monitor plant health continuously, farmers can identify disease symptoms at their initial stages. This early detection enables them to take prompt action to prevent disease spread and minimize plant losses.
- 3 Precision Agriculture: The project aligns with the concept of precision agriculture, where data-driven methods are used to optimize plant output while minimizing resource waste. Farmers can make informed decisions about irrigation, fertilization, and other inputs based on real-time data. This not only increases plant yield but also reduces resource wastage.
- 4 Sustainable Farming: Plant disease prediction using AI and deep neural networks contributes to sustainable agriculture. By reducing the need for pesticides and other chemicals, the project promotes environmentally friendly farming practices. It also supports the well-being of agricultural workers and the local population by minimizing the health risks associated with chemical exposure.
- 5 Improved Efficiency: The project significantly improves the efficiency of farming operations. It reduces the need for labor-intensive disease inspections and provides farmers with fast and accurate information for decision making. This efficiency not only saves time but also reduces operational costs.

In the realm of agriculture, a sector of paramount importance in our daily lives and a linchpin of our nation's economic growth, the need for healthy and disease-free crops is undeniable. With agriculture employing a substantial portion of the population, particularly in a country like ours, ensuring the vitality of our crops becomes an imperative mission. Our project, which harnesses the power of Deep Learning and Computer Vision, has ushered in a new era of agricultural technology. It has revolutionized disease detection by enabling swift and accurate identification, effectively eradicating the margin for human error. By incorporating PCA DeepNet, we've made disease detection not just efficient but also highly precise, marking a significant milestone in the quest for healthier crops. The impact of our work extends far beyond mere technological innovation. Its true significance lies in the profound benefits it brings to farmers and all stakeholders in the agricultural sector. By swiftly identifying and addressing diseases, our solution empowers farmers to avert substantial losses incurred due to pests and bacterial

invasions in their crops. This breakthrough offers a ray of hope for enhanced agricultural productivity. In the near future, we envision our project evolving into a real time system, directly accessible to farmers and everyone engaged in agriculture. It holds the potential to become an indispensable tool in large nurseries, providing early detection of diseases and setting the stage for prompt remediation. In essence, our novel framework represents a substantial leap forward in the analysis and detection of plant diseases. It promises a brighter and more secure future for agriculture, offering a more effective means of disease management than any state-of-the-art solution available today. The journey of enhancing crop health and securing agricultural livelihoods continues, and our project stands as a beacon of innovation in this endeavor.

References

1. P. Kulkarni, A. Karwande, T. Kolhe, S. Kamble, A. Joshi, and M. Wyawahare, "Plant Disease Detection Using Image Processing and Machine Learning," arXiv:2106.10698, 2021.
2. D. Singh, N. Jain, P. Jain, P. Kayal, S. Kumawat, N. Batra, "PlantDoc," in Proceedings of the 7th ACM IKDD CoDS and 25th COMAD, Jan 2020. doi: 10.1145/3371158.3371196.
3. W. Shafik, A. Tufail, A. Namoun, L. C. De Silva and R. A. A. H. M. Apong, "A Systematic Literature Review on Plant Disease Detection: Motivations, Classification Techniques, Datasets, Challenges, and Future Trends," in IEEE Access, vol. 11, pp. 59174-59203, 2023, doi: 10.1109/ACCESS.2023.3284760.
4. Muhammad E. H. Chowdhury, Tawsifur Rahman, Amith Khandakar, Mohamed Arselene Ayari, Aftab Ullah Khan, Muhammad Salman Khan, Nasser Al-Emadi, Mamun Bin Ibne Reaz, Mohammad Tariqul Islam, Sawal Hamid Md Ali, "Automatic and Reliable Leaf Disease Detection Using Deep Learning Techniques," AgriEngineering, vol. 3, no. 2, pp. 294-312, 2021. DOI: 10.3390/agriengineering3020020.
5. Lamba, Monika, Gigras, Yogita and Dhull, Anuradha. "Classification of plant diseases using machine and deep learning" Open Computer Science, vol. 11, no. 1, 2021, pp. 491-508. <https://doi.org/10.1515/comp.2020-0122>
6. Mohanty, S. P., Hughes, D. P., & Salathé, M. (2016). Using Deep Learning for Image-Based Plant Disease Detection. *Frontiers in Plant Science*, 7. DOI: 10.3389/fpls.2016.01419.
7. Shoaib M, Shah B, Ei-Sappagh S, Ali A, Ullah A, Alenezi F, Gechev T, Hussain T, Ali F. An advanced deep learning models-based plant disease detection: A review of recent research. *Front Plant Sci*. 2023 Mar 21;14:1158933. doi: 10.3389/fpls.2023.1158933. PMID: 37025141; PMCID: PMC10070872.
8. Srivastava, Prakanshu & Mishra, Kritika & Awasthi, Vibhav & Sahu, Vivek & Pal, Pawan Kumar. (2021). PLANT DISEASE DETECTION USING CONVOLUTIONAL NEURAL NETWORK. *International Journal of Advanced Research*. 09. 691-698. 10.21474/IJAR01/12346.
9. S. D. Khirade and A. B. Patil, "Plant Disease Detection Using Image Processing," 2015 International Conference on Computing Communication Control and Automation, 2015, pp.768-771, doi: 10.1109/ICCUBEA.2015.153.
10. G. Shrestha, Deepsikha, M. Das and N. Dey, "Plant Disease Detection Using CNN," 2020 IEEE Applied Signal Processing Conference (ASP CON), 2020, pp. 109-113,

- doi:10.1109/ASPCON49795.2020.9276722 R. M. Haralick, K. Shanmugam and I. Dinstein, "Textural Features for Image Classification," in IEEE Transactions on Systems, Man, and Cybernetics, vol. SMC-3, no.6, pp. 610-621, Nov. 1973, doi: 10.1109/TSMC.1973.4309314.
11. S. Ramesh and Bharghava Rajaram, "A.I Based plant Disease Identification System Using Optimization Techniques", ARPN Journal of Engineering and Applied Sciences vol. 13, no.4, february 2019.
 12. Pallavi. S. Marathe, "Plant Disease Detection using Digital Image Processing and GSM", International Journal of Engineering Science and Computing, April 2017, pp. 10513-15. R.Rajmohan, M.Pajany, Smart paddy plant disease identification and msvamnacglaesmsiefinetr, using deep convolution neural network International journal of pure and applied mathematics, vol 118, no 5, pp. 255-264, 2017.
 13. A. Joshi and B. D. Jadhav. 2016. Monitoring and controlling rice diseases using Image processing techniques. International Conference on Computing. Analytics and Security Trends (CAST), Pune. pp. 471- 476.
 14. S. Mutalib, M. H. Abdullah, S. Abdul-Rahman and Z.A. Aziz. 2016. A brief study on paddy applications with image processing and proposed architecture. IEEE Conference on Systems, Process and Control (ICSPC), Melaka, Malaysia. pp. 124-129.
 15. Abhirami, K., Praba, G.C. and Lakshmi, R.S. (2021) A.II based Paddy plant Disease Identification and prevention system using deep neural networks and image processing, International Journal of 52 Engineering Research & Technology. IJERT-International journal of Engineering Research & Technology. Available at: <https://www.ijert.org/A.I-based-paddy-plant-disease-identification-and-prevention-system-using-deep-neural-networks-and-image-processing>.
 16. Kulkarni, P. et al. (2021) Plant disease detection using image processing and machine learning, arXiv.org. Available at: <https://arxiv.org/abs/2106.10698>.
 17. Jie You, Wei Liu, Joonwhoan Lee, "A DNN-based semantic segmentation for detecting weed and plant", Computers and Electronics in Agriculture, Vol. 178, November 2020.
 18. J. Kolli, D. M. Vamsi and V. M. Manikandan, "Plant Disease Detection using Convolutional Neural Network," 2021 IEEE Bombay Section Signature Conference (IBSSC), Gwalior, India, 2021, pp. 1-6, doi: 10.1109/IBSSC53889.2021.9673493.
 19. S. Barburiceanu, S. Meza, B. Orza, R. Malutan and R. Terebes, "Convolutional Neural Networks for Texture Feature Extraction. Applications to Leaf Disease Classification in Precision Agriculture," in IEEE Access, vol. 9, pp. 160085-160103, 2021, doi: 10.1109/ACCESS.2021.3131002.
 20. V. K. Vishnoi, K. Kumar, B. Kumar, S. Mohan and A. A. Khan, "Detection of Apple Plant Diseases Using Leaf Images Through Convolutional Neural Network," in IEEE Access, vol. 11, pp. 6594-6609, 2023, doi: 10.1109/ACCESS.2022.3232917.
 21. K. Roy et al., "Detection of Tomato Leaf Diseases for Agro-Based Industries Using Novel PCA DeepNet," in IEEE Access, vol. 11, pp. 14983-15001, 2023, doi: 10.1109/ACCESS.2023.3244499.
 22. S. Ahmed, M. B. Hasan, T. Ahmed, M. R. K. Sony and M. H. Kabir, "Less is More: Lighter and Faster Deep Neural Architecture for Tomato Leaf Disease Classification," in IEEE Access, vol. 10, pp. 68868-68884, 2022, doi: 10.1109/ACCESS.2022.3187203.
 23. K. P. Asha Rani and S. Gowrishankar, "Pathogen-Based Classification of Plant Diseases: A Deep

- Transfer Learning Approach for Intelligent Support Systems,” in *IEEE Access*, vol. 11, pp. 64476-64493, 2023, doi: 10.1109/ACCESS.2023.3284680.
24. L. Li, S. Zhang and B. Wang, ”Plant Disease Detection and Classification by Deep Learning—A Review,” in *IEEE Access*, vol. 9, pp. 56683- 56698, 2021, doi: 10.1109/ACCESS.2021.3069646.
25. C. Cruz, A. Luvisi, L. De Bellis, and Y. Ampatzidis, ”Vision-based plant disease detection system using transfer and deep learning,” in *Proc. Asabe Annu. Int. Meeting*, Spokane, WA, USA, Jul. 2017, pp. 16-19.
26. M. Brahim, S. Mahmoudi, K. Boukhalfa, and A. Moussaoui, ”Deep interpretable architecture for plant diseases classification,” in *Proc. Signal Process., Algorithms, Archit., Arrangements, Appl. (SPA)*, Poznan, Poland, Sep. 2019, pp. 111-116.
27. J. G. A. Barbedo, ”Plant disease identification from individual lesions and spots using deep learning,” *Biosyst. Eng.*, vol. 180, pp. 96107, Apr. 2019.
28. S. Ghosal, D. Blystone, A. K. Singh, B. Ganapathysubramanian, A. Singh, and S. Sarkar, ”An explainable deep machine vision framework for plant stress phenotyping,” *Proc. Nat. Acad. Sci. USA*, vol. 115, no. 18, pp. 4613-4618, Apr. 2018.
29. Picon, A. Alvarez-Gila, M. Seitz, A. Ortiz-Barredo, J. Echazarra, and A. Johannes, ”Deep convolutional neural networks for mobile capture device-based crop disease classification in the wild”, *Comput. Electron. Agricult.*, vol. 161, pp. 280-290, Jun. 2019.